



Informatik

Übungsstunde Woche 4

Expressions

1. Which of the following character sequences are not C++ expressions, and why not? Here, `x` and `y` are variables of type `int`.
 - a) `(y++ < 0 && y < 0) + 2.0`
 - b) `y = (x++ = 3)`
 - c) `3.0 + 3 - 4 + 5`
 - d) `5 % 4 * 3.0 + true * x++`
2. For all of the valid expressions that you have identified in 1, decide whether these are lvalues or rvalues, and explain your decisions.
3. Determine the values of the expressions and explain how these values are obtained. Assume that initially `x == 1` and `y == -1`.

Loops

Can a user of the program observe the difference between the output produced by these three loops? If yes, how? Assume that `n` is a variable of type `unsigned int` whose value is given by the user.

```
1 // loop 1
2 for (unsigned int i = 1; i <= n; ++i) {
3     std::cout << i << "\n";
4 }
```

```
1 // loop 2
2 unsigned int i = 0;
3 while (i < n) {
4     std::cout << ++i << "\n";
5 }
```

```
1 // loop 3
2 unsigned int i = 1;
3 do {
4     std::cout << i++ << "\n";
5 } while (i <= n);
```

Loops

Convert the following for-loop into an equivalent while-loop:

```
1  for (int i = 0; i < n; ++i)
2      BODY
```

Convert the following while-loop into an equivalent for-loop:

```
1  while (condition)
2      BODY
```

Convert the following do-loop into an equivalent for-loop:

```
1  do
2      BODY
3  while (condition);
```